


2012



WWW.SUMIDA.COM

# 功率电感器 产品目录

# POWER INDUCTOR CATALOG

**RoHS**

Compliance  
Cd: Max. 0.01wt%  
Others: Max. 0.1wt%

**SUMIDA CORPORATION**

# Suitable range of inductance and rated D.C. current with max. height

高さ・形名別仕様範囲図表

## SMD Type

Shielded Type  
閉磁路タイプ

Height (Max.) 高さ	TYPE 形名	Rated Current Factor $I^* \sqrt{L}$ (I:定格電流)	Installation space (Max.) 面積 (mm)	INDUCTANCE インダクタンス	Rated D.C.CURRENT 定格直流電流	PAGE
				0.1μH 1μH 10μH 100μH 1mH 10mH	10mA 100mA 1A 10A 100A	
0.8 mm	CDR25D07	0.83	2.71 x 2.71	10μH	100mA	48 - 49
	CDRH28D07	0.98	3.0 x 3.0	10μH	100mA	48 - 49
0.9 mm	CDH20D08	1.19	2.2 x 2.2	10μH	100mA	112 - 113
1.0 mm	CDH25D09	1.71	2.1 x 2.6	10μH	100mA	112 - 113
	CDH20D09D	1.26	2.15 x 2.2	10μH	100mA	106 - 107
1.2 mm	CDR25D09	1.10	2.71 x 2.71	10μH	100mA	48 - 49
	CDRH26D09	1.48	2.8 x 3.1	10μH	100mA	48 - 49
	CDH30D09D	1.42	3.15 x 3.2	10μH	100mA	108 - 109
	CDRH2D09C	0.90	3.2 x 3.2	10μH	100mA	50 - 51
	CDH25D11	2.42	2.1 x 2.6	10μH	100mA	112 - 113
	CDH25D11D	2.22	2.1 x 2.6	10μH	100mA	106 - 107
	CDH20D11D	1.85	2.15 x 2.2	10μH	100mA	106 - 107
	CDH20D11	1.71	2.2 x 2.2	10μH	100mA	112 - 113
	CDR25D11	1.28	2.71 x 2.71	10μH	100mA	48 - 49
	CDRH26D11	1.45	2.8 x 3.1	10μH	100mA	48 - 49
1.5 mm	CDH30D11D/MB	2.08	3.1 x 3.2	10μH	100mA	104 - 105
	CDH30D11D	1.93	3.15 x 3.2	10μH	100mA	108 - 109
	CDRH2D11B	1.63	3.2 x 3.2	10μH	100mA	50 - 51
	CDRH2D11B/HP	1.71	3.2 x 3.2	10μH	100mA	50 - 51
	CDH38D11/LD	2.21	3.95 x 4.1	10μH	100mA	110 - 111
	CDH43D11D/HP	3.23	4.5 x 4.6	10μH	100mA	110 - 111
	CDRH5D11	2.69	5.3 x 5.3	10μH	100mA	36 - 37
	CDH25D14	2.22	2.1 x 2.6	10μH	100mA	114 - 115
	CDH20D14D	1.77	2.15 x 2.2	10μH	100mA	106 - 107
	CDH20D14	1.60	2.2 x 2.2	10μH	100mA	112 - 113
	CDH30D14D	2.33	3.15 x 3.2	10μH	100mA	108 - 109
	CDH30D14D/LD	1.68	3.15 x 3.2	10μH	100mA	108 - 109
	CDH30D14D/MB	2.73	3.15 x 3.2	10μH	100mA	104 - 105
	CDH30D14D/SHP	2.97	3.15 x 3.2	10μH	100mA	108 - 109
	CDRH30D14R	1.93	3.15 x 3.3	10μH	100mA	40 - 41
	CDH38D14D	2.47	3.95 x 4.1	10μH	100mA	110 - 111
	CDH38D14D/MB	2.34	3.95 x 4.1	10μH	100mA	104 - 105
	1.8 mm	CDRH38D14R	2.09	3.95 x 4.2	10μH	100mA
CDRH38D14R/HP		2.62	3.95 x 4.2	10μH	100mA	40 - 41
CDRH38D14R/LD		1.36	3.95 x 4.2	10μH	100mA	40 - 41
CDRH4D14		2.31	4.8 x 4.8	10μH	100mA	54 - 55
CDRH4D14/HP		2.37	4.8 x 4.8	10μH	100mA	54 - 55
CDRH4D14/LD		1.64	4.8 x 4.8	10μH	100mA	54 - 55
CDH5D14/S		3.48	6.0 x 6.0	10μH	100mA	114 - 115
CDRH58D14R		3.04	6.0 x 6.0	10μH	100mA	44 - 45
CDRH6D12		3.48	6.7 x 6.7	10μH	100mA	64 - 65
CDRH6D12/LD		3.16	6.7 x 6.7	10μH	100mA	64 - 65
CDH8D14		5.69	9.0 x 9.0	10μH	100mA	114 - 115
2.0 mm		CDRH30D16R	1.90	3.15 x 3.3	10μH	100mA
	CDH38D16D/LD	2.40	3.95 x 4.1	10μH	100mA	110 - 111
	CDH38D16D/MB	2.97	3.95 x 4.1	10μH	100mA	104 - 105
	CDRH38D16R	1.96	3.95 x 4.2	10μH	100mA	42 - 43
	CDRH38D16R/HP	2.66	3.95 x 4.2	10μH	100mA	42 - 43
	CDRH38D16R/LD	1.49	3.95 x 4.2	10μH	100mA	42 - 43
	CDRH4D16FB	2.53	4.15 x 4.15	10μH	100mA	54 - 55
	CDRH5D16F/LD	2.91	5.5 x 5.5	10μH	100mA	58 - 59
	CDRH5D16	4.27	5.8 x 5.8	10μH	100mA	58 - 59
	CDRH7D16	5.38	7.7 x 8.0	10μH	100mA	66 - 67
2.0 mm	CDRH7D16/HP	5.38	7.7 x 8.0	10μH	100mA	66 - 67
	CDRH2D18/HP	2.37	3.2 x 3.2	10μH	100mA	50 - 51
	CDRH2D18/LD	1.26	3.2 x 3.2	10μH	100mA	50 - 51
	CDRH3D18	2.85	4.0 x 4.0	10μH	100mA	52 - 53
	CDBH38D18	2.83	4.0 x 6.5	10μH	100mA	102 - 103

Height (Max.) 高さ	TYPE 形名	Rated Current Factor $I \times \sqrt{L}$ (L:定格電流)	Installation space (Max.) 面積 (mm)	INDUCTANCE インダクタンス						Rated D.C.CURRENT 定格直流電流					PAGE				
				0.1μH	1μH	10μH	100μH	1mH	10mH	10mA	100mA	1A	10A	100A					
2.4 mm	CDRH40D18R	2.69	4.2 x 4.2													42 - 43			
	CDRH40D18/A	1.87	4.5 x 4.5													20 - 21			
	CDPH49D19/HP	5.53	5.1 x 5.1													26 - 27			
	CDRH4D18C	2.62	5.1 x 5.1													56 - 57			
	CDRH4D18C/LD	1.90	5.1 x 5.1													56 - 57			
	CDRH50D18R	3.48	5.2 x 5.2													58 - 59			
	CDRH50D18R/LD	0.72	5.2 x 5.2													42 - 43			
	CDPH4D19F	2.53	5.2 x 5.2													44 - 45			
	CDRH58D18R	3.70	6.0 x 6.0													44 - 45			
	CDRH5D18	3.79	6.0 x 6.0													60 - 61			
2.5 mm	CDRH5D18C	4.11	6.2 x 6.3													60 - 61			
	CDRH5D18R	3.79	6.2 x 6.3													62 - 63			
	CDRH60D18R	5.06	6.3 x 6.3													44 - 45			
	CDRH98D18R	7.27	10.0 x 10.0													68 - 69			
	CDRH4D22	2.53	5.0 x 5.0													56 - 57			
	CDRH4D22/HP	4.11	5.0 x 5.0													56 - 57			
	CDRH3D23	2.67	3.92 x 3.92													50 - 51			
	CDRH3D23/HP	3.23	4.0 x 4.0													52 - 53			
	CDRH50D23/A	2.59	5.3 x 5.5													20 - 21			
	CDR6D23MN	4.11	6.8 x 6.8													80 - 81			
2.8 mm	CDRH6D23/HP	8.06	7.0 x 7.0													64 - 65			
	CDRH98D23R	9.80	10.0 x 10.0													68 - 69			
	CDH11D23/HP	11.54	11.0 x 11.2													114 - 115			
	CDRH40D26R	3.32	4.2 x 4.2													42 - 43			
	3.0 mm	CDRH3D28	3.32	4.0 x 4.0													52 - 53		
		CDRH3D28/LD	1.58	4.0 x 4.0													52 - 53		
		CDRH40D28	3.48	4.2 x 4.2													54 - 55		
		CDBM7D28	4.74	5.0 x 8.0													100 - 101		
		CDRH4D28C	3.98	5.1 x 5.1													56 - 57		
		CDRH4D28C/LD	2.85	5.1 x 5.1													56 - 57		
CDRH50D28R		5.38	5.3 x 5.3													44 - 45			
CDRH5D28		4.11	6.0 x 6.0													60 - 61			
CDRH5D28R		4.11	6.2 x 6.3													62 - 63			
CDRH5D28R/HP		5.85	6.2 x 6.3													62 - 63			
3.1 mm	CDRH5D28R/H125	7.78	6.2 x 6.3													28 - 29			
	CDRH60D28R	5.06	6.3 x 6.3													46 - 47			
	CDBH6D28	6.51	6.3 x 8.5													102 - 103			
	CDRH60D28/A	3.51	6.5 x 6.6													20 - 21			
	CDRH60D28/AA	2.72	6.5 x 6.5													18 - 19			
	CDMC6D28	8.02	6.7 x 7.25													96 - 97			
	CDR6D28MN	5.69	6.8 x 6.8													80 - 81			
	CDEP63ME	5.38	6.8 x 7.25													98 - 99			
	CDRH6D28	5.38	7.0 x 7.0													66 - 67			
	CDR7D28MN	7.59	7.6 x 7.6													80 - 81			
3.2 mm	CDRH8D28	7.91	8.3 x 8.3													66 - 67			
	CDRH8D28/HP	6.64	8.3 x 8.3													66 - 67			
	3.3 mm	CDMC8D28	13.44	8.7 x 9.5													96 - 97		
		CDRH103R	8.85	10.3 x 10.5													68 - 69		
		3.4 mm	CDMPIH58D28	4.04	6.0 x 6.0													26 - 27	
			4.0 mm	CDRH6D38	6.32	7.0 x 7.0													66 - 67
				CDRH6D38/T125	6.96	7.0 x 7.0													28 - 29
				CDRH80D38D	11.54	8.3 x 8.3													46 - 47
				CDRH80D38DWN	12.33	8.3 x 8.3													82 - 83
				CDRH80D38/AA	5.38	8.5 x 8.5													18 - 19
CDRH8D38/A				5.44	8.5 x 8.5													22 - 23	
CDBH8D38				12.72	8.8 x 9.5													102 - 103	
CDMC104	15.71			10.2 x 11.5													96 - 97		
CDRH104R	12.02			10.3 x 10.5													70 - 71		
4.5 mm	CDRH104R/T125	12.33		10.3 x 10.5													28 - 29		
	CDRH10D38D	11.23	10.3 x 10.3													46 - 47			
	CDRH10D38D/HP	16.44	10.3 x 10.3													46 - 47			
	CDEI10D38	8.35	10.4 x 10.4													84 - 85			
	CDEP12D38	13.02	12.9 x 12.9													88 - 89			
	CDRH50D43R	5.53	5.3 x 5.3													44 - 45			
	CDRH60D43R	8.54	6.3 x 6.3													46 - 47			

Height (Max.) 高さ	TYPE 形名	Rated Current Factor I <sup>*</sup> √L (L:定格電流)	Installation space (Max.) 面積 (mm)	INDUCTANCE インダクタンス					Rated D.C.CURRENT 定格直流電流					PAGE	
				0.1μH	1μH	10μH	100μH	1mH	10mH	10mA	100mA	1A	10A		100A
	CDRH70D43D	9.17	7.3 x 7.3												46 - 47
	CDR7D43MN	7.91	7.6 x 7.6												82 - 83
	CDMPIH75D43/T125	9.80	7.7 x 8.1												26 - 27
	CDRH8D43	10.12	8.3 x 8.3												68 - 69
	CDRH8D43R/T125	11.07	8.3 x 8.5												28 - 29
	CDBH10D43	11.23	10.0 x 10.5												100 - 101
	CDEP104	7.91 ※	10.4 x 10.4												86 - 87
	CDRH10D43R	12.97	10.5 x 10.8												72 - 73
	CDRH124	14.23	12.3 x 12.3												74 - 75
	CDRH12D43R	15.37	12.4 x 12.4												76 - 77
4.7 mm	CDRH8D43/HP	7.91	8.3 x 8.3												68 - 69
4.8 mm	CDRCH60D45/A	1.42	6.3 x 5.8												20 - 21
	CDRR105	7.84	10.4 x 10.4												30 - 31
4.9 mm	CDEP134C	18.38 ※	13.9 x 13.9												90 - 91
5.0 mm	CDH50D48	3.70	5.2 x 5.3												36 - 37
	CDMPIH60D48/T125	7.91	6.2 x 6.6												26 - 27
	CDH70D48	5.40	7.2 x 7.3												36 - 37
	CDH80D48	10.20	8.15 x 8.9												36 - 37
	CDRH8D48/A	7.15	8.5 x 8.5												22 - 23
	CDR10D48MN	13.60	10.3 x 10.3												82 - 84
	CDRH10D48/A	8.22	10.5 x 10.5												22 - 23
	CDRH10D48/AA	8.06	10.5 x 10.5												18 - 19
	CDMPIH10D48/T125	15.59	10.3 x 10.7												26 - 27
	CDEIR12D45ME	27.16	13.0 x 13.7												98 - 99
5.1 mm	CDRH105R	14.07	10.3 x 10.5												70 - 71
5.4 mm	CDMC80D50/AA	19.61	8.4 x 8.9												16 - 17
5.5 mm	CDEP85	10.13 ※	8.4 x 8.4												84 - 85
	CDEP105ME	11.81	10.4 x 11.5												98 - 99
	CDEP125ME	19.58	12.9 x 12.9												98 - 99
	CDEP125MEB	21.56	12.9 x 12.9												32 - 33
5.6 mm	CDEP105	10.96 ※	10.4 x 10.4												86 - 87
	CDEP115	13.85	11.1 x 11.1												88 - 89
	CEP125	15.81 ※	12.9 x 12.9												88 - 89
	CDEP136ME	19.72	13.2 x 13.3												98 - 99
6.0 mm	CDRH7D58R/A	5.76	7.2 x 7.2												20 - 21
	CDRH8D58/LD	8.22	8.3 x 8.3												68 - 69
	CDRH10D58R/A	8.98	10.5 x 10.5												22 - 23
	CDRH125	12.65	12.3 x 12.3												74 - 75
	CDRH125/L125	16.44	12.3 x 12.3												30 - 31
	CDRH125/LD	14.55	12.3 x 12.3												74 - 75
	CDRH12D58R	18.66	12.4 x 12.4												76 - 77
	CDBH12D58	19.68	12.5 x 12.5												100 - 101
	CDRH12D58/A	12.02	12.5 x 12.5												24 - 25
	CDEP145	23.46 ※	14.9 x 14.9												90 - 91
6.8 mm	CDRR126	13.60	12.8 x 12.8												30 - 31
7.0 mm	CDRH10D68R/T125	15.81	10.4 x 10.4												30 - 31
	CDRH10D68/A	9.71	10.5 x 10.5												22 - 23
7.1 mm	CDRH10D68	13.91	10.5 x 10.5												72 - 73
8.0 mm	CDRH127/L125	26.56	12.3 x 12.3												30 - 31
	CDRH127/LD	21.19	12.3 x 12.3												74 - 75
	CDRH12D78R	18.66	12.4 x 12.4												76 - 77
	CDRCH12D78B	31.62 ★	12.5 x 12.5												34 - 35
	CDRH12D78/A	13.28	12.5 x 12.5												24 - 25
	CDBH128	13.42	12.7 x 13.0												100 - 101
	CDRH127C/A	14.55	12.9 x 12.9												24 - 25
	CDEP147	26.20 ※	14.9 x 14.9												92 - 93
	CDEP147ME	40.09	14.9 x 14.9												32 - 33
8.5 mm	CDRH148R	22.45	15.0 x 15.0												78 - 79
10.0 mm	CDRR107	12.30	11.0 x 11.0												72 - 73
	CDRH129R	24.03	12.4 x 12.4												76 - 77
	CDRH129	21.98	12.5 x 12.5												76 - 77
	CDEP149	21.48 ※	15.2 x 15.2												94 - 95
	CDRH169R	27.83	16.5 x 16.5												78 - 79
11.0 mm	CDEP1810	31.18	19.2 x 22.4												94 - 95
12.0 mm	CDEP1411	29.09 ※	14.9 x 14.9												92 - 93
	CDEP1711	41.74 ※	17.9 x 18.4												94 - 95

※ Standard Type / スタンダードタイプ ★ Single winding Type / 単一巻線タイプ

# Suitable range of inductance and rated D.C. current with max. installation space

面積・形名別仕様範囲表

## SMD Type

Shielded Type  
閉磁路タイプ

Installation space (Max.) 面積 (mm)	TYPE 形名	Height (Max.) 高さ	Rated Current Factor $I^2 \times L$ (定格電流)	INDUCTANCE インダクタンス	Rated D.C.CURRENT 定格直流電流	PAGE	
				0.1μH 1μH 10μH 100μH 1mH 10mH	10mA 100mA 1A 10A 100A		
2 mm level	2.1 x 2.6	CDH25D09	1.0	1.71	[Bar chart]	112 - 113	
	2.1 x 2.6	CDH25D11	1.2	2.42	[Bar chart]	112 - 113	
	2.1 x 2.6	CDH25D11D	1.2	2.22	[Bar chart]	106 - 107	
	2.1 x 2.6	CDH25D14	1.5	2.22	[Bar chart]	114 - 115	
	2.15 x 2.2	CDH20D09D	1.0	1.26	[Bar chart]	106 - 107	
	2.15 x 2.2	CDH20D11D	1.2	1.85	[Bar chart]	106 - 107	
	2.15 x 2.2	CDH20D14D	1.5	1.77	[Bar chart]	106 - 107	
	2.2 x 2.2	CDH20D08	0.9	1.19	[Bar chart]	112 - 113	
	2.2 x 2.2	CDH20D11	1.2	1.71	[Bar chart]	112 - 113	
	2.2 x 2.2	CDH20D14	1.5	1.60	[Bar chart]	112 - 113	
	2.71 x 2.71	CDR25D07	0.8	0.83	[Bar chart]	48 - 49	
	2.71 x 2.71	CDR25D09	1.0	1.10	[Bar chart]	48 - 49	
	2.71 x 2.71	CDR25D11	1.2	1.28	[Bar chart]	48 - 49	
	2.8 x 3.1	CDRH26D09	1.0	1.48	[Bar chart]	48 - 49	
	2.8 x 3.1	CDRH26D11	1.2	1.45	[Bar chart]	48 - 49	
	3 mm level	3.0 x 3.0	CDRH28D07	0.8	0.98	[Bar chart]	48 - 49
3.1 x 3.2		CDH30D11D/MB	1.2	2.08	[Bar chart]	104 - 105	
3.15 x 3.2		CDH30D09D	1.0	1.42	[Bar chart]	108 - 109	
3.15 x 3.2		CDH30D11D	1.2	1.93	[Bar chart]	108 - 109	
3.15 x 3.2		CDH30D14D	1.5	2.33	[Bar chart]	108 - 109	
3.15 x 3.2		CDH30D14D/LD	1.5	1.68	[Bar chart]	108 - 109	
3.15 x 3.2		CDH30D14D/MB	1.5	2.73	[Bar chart]	104 - 105	
3.15 x 3.2		CDH30D14D/SHP	1.5	2.97	[Bar chart]	108 - 109	
3.15 x 3.3		CDRH30D14R	1.5	1.93	[Bar chart]	40 - 41	
3.15 x 3.3		CDRH30D16R	1.8	1.90	[Bar chart]	40 - 41	
3.2 x 3.2		CDRH2D09C	1.0	0.90	[Bar chart]	50 - 51	
3.2 x 3.2		CDRH2D11B	1.2	1.63	[Bar chart]	50 - 51	
3.2 x 3.2		CDRH2D11B/HP	1.2	1.71	[Bar chart]	50 - 51	
3.2 x 3.2		CDRH2D18/HP	2.0	2.37	[Bar chart]	50 - 51	
3.2 x 3.2		CDRH2D18/LD	2.0	1.26	[Bar chart]	50 - 51	
3.92 x 3.92		CDRH3D23	2.5	2.67	[Bar chart]	50 - 51	
3.95 x 4.1		CDH38D11/LD	1.2	2.21	[Bar chart]	110 - 111	
3.95 x 4.1		CDH38D14D	1.5	2.47	[Bar chart]	110 - 111	
3.95 x 4.1		CDH38D14D/MB	1.5	2.34	[Bar chart]	104 - 105	
3.95 x 4.1		CDH38D16D/LD	1.8	2.40	[Bar chart]	110 - 111	
3.95 x 4.1		CDH38D16D/MB	1.8	2.97	[Bar chart]	104 - 105	
3.95 x 4.2		CDRH38D14R	1.5	2.09	[Bar chart]	40 - 41	
3.95 x 4.2		CDRH38D14R/HP	1.5	2.62	[Bar chart]	40 - 41	
3.95 x 4.2		CDRH38D14R/LD	1.5	1.36	[Bar chart]	40 - 41	
3.95 x 4.2		CDRH38D16R	1.8	1.96	[Bar chart]	42 - 43	
3.95 x 4.2		CDRH38D16R/HP	1.8	2.66	[Bar chart]	42 - 43	
3.95 x 4.2		CDRH38D16R/LD	1.8	1.45	[Bar chart]	42 - 43	
4 mm level		4.0 x 4.0	CDRH3D18	2.0	2.85	[Bar chart]	52 - 53
	4.0 x 4.0	CDRH3D23/HP	2.5	3.23	[Bar chart]	52 - 53	
	4.0 x 4.0	CDRH3D28	3.0	3.32	[Bar chart]	52 - 53	
	4.0 x 4.0	CDRH3D28/LD	3.0	1.58	[Bar chart]	52 - 53	
	4.0 x 6.5	CDBH38D18	2.0	2.83	[Bar chart]	102 - 103	
	4.15 x 4.15	CDRH4D16FB	1.8	2.53	[Bar chart]	54 - 55	
	4.2 x 4.2	CDRH40D18R	2.0	2.69	[Bar chart]	42 - 43	
	4.2 x 4.2	CDRH40D26R	2.8	3.32	[Bar chart]	42 - 43	
	4.2 x 4.2	CDRH40D28	3.0	3.48	[Bar chart]	54 - 55	
	4.5 x 4.5	CDRH40D18/A	2.0	1.87	[Bar chart]	20 - 21	
	4.5 x 4.6	CDH43D11D/HP	1.2	3.23	[Bar chart]	110 - 111	
	4.8 x 4.8	CDRH4D14	1.5	2.31	[Bar chart]	54 - 55	
	4.8 x 4.8	CDRH4D14/HP	1.5	2.37	[Bar chart]	54 - 55	
	4.8 x 4.8	CDRH4D14/LD	1.5	1.64	[Bar chart]	54 - 55	
	5 mm level	5.0 x 5.0	CDRH4D22	2.4	2.53	[Bar chart]	56 - 57

Installation space (Max.) 面積 (mm)	TYPE 形名	Height (Max.) 高さ	Rated Current Factor $I \cdot \sqrt{L}$ (I:定格電流)	INDUCTANCE インダクタンス						Rated D.C.CURRENT 定格直流電流				PAGE		
				0.1μH	1μH	10μH	100μH	1mH	10mH	10mA	100mA	1A	10A		100A	
6 mm level	5.0 x 5.0	CDRH4D22/HP	2.4	4.11												56 - 57
	5.0 x 8.0	CDBM7D28	3.0	4.74												100 - 101
	5.1 x 5.1	CDPH49D19/HP	2.0	5.53												26 - 27
	5.1 x 5.1	CDRH4D18C	2.0	3.98												56 - 57
	5.1 x 5.1	CDRH4D18C/LD	2.0	1.90												56 - 57
	5.1 x 5.1	CDRH4D28C	3.0	3.98												56 - 57
	5.1 x 5.1	CDRH4D28C/LD	3.0	2.85												56 - 57
	5.2 x 5.2	CDPH4D19F	2.0	2.53												58 - 59
	5.2 x 5.2	CDRH50D18R	2.0	3.48												42 - 43
	5.2 x 5.2	CDRH50D18R/LD	2.0	0.72												44 - 45
	5.2 x 5.3	CDH50D48	5.0	3.70												36 - 37
	5.3 x 5.3	CDRH5D11	1.2	2.69												36 - 37
	5.3 x 5.3	CDRH50D28R	3.0	5.38												44 - 45
	5.3 x 5.3	CDRH50D43R	4.5	5.53												44 - 45
	5.3 x 5.5	CDRH50D23/A	2.5	2.59												20 - 21
	5.5 x 5.5	CDRH5D16F/LD	1.8	2.91												58 - 59
	5.8 x 5.8	CDRH5D16	1.8	4.27												58 - 59
	6.0 x 6.0	CDH5D14/S	1.5	3.48												114 - 115
	6.0 x 6.0	CDRH58D14R	1.5	3.04												44 - 45
	6.0 x 6.0	CDRH58D18R	2.0	3.70												44 - 45
	6.0 x 6.0	CDRH5D18	2.0	3.79												60 - 61
	6.0 x 6.0	CDRH5D28	3.0	4.11												60 - 61
	6.0 x 6.0	CDMPIH58D28	3.2	4.04												26 - 27
	6.2 x 6.3	CDRH5D18C	2.0	4.11												60 - 61
	6.2 x 6.3	CDRH5D18R	2.0	3.79												62 - 63
	6.2 x 6.3	CDRH5D28R	3.0	4.11												62 - 63
	6.2 x 6.3	CDRH5D28R/H125	3.0	7.78												28 - 29
	6.2 x 6.3	CDRH5D28R/HP	3.0	5.85												62 - 63
	6.2 x 6.6	CDMPIH60D48/T125	5.0	7.91												26 - 27
	6.3 x 5.8	CDRCH60D45/A	4.8	1.42												20 - 21
	6.3 x 6.3	CDRH60D18R	2.0	5.06												44 - 45
	6.3 x 6.3	CDRH60D28R	3.0	5.06												46 - 47
	6.3 x 6.3	CDRH60D43R	4.5	8.54												46 - 47
	6.3 x 8.5	CDBH6D28	3.0	6.51												102 - 103
	6.5 x 6.6	CDRH60D28/A	3.0	3.51												20 - 21
	6.5 x 6.5	CDRH60D28/AA	3.0	2.72												18 - 19
	6.7 x 6.7	CDRH6D12	1.5	3.48												64 - 65
	6.7 x 6.7	CDRH6D12/LD	1.5	3.16												64 - 65
	6.7 x 7.25	CDMC6D28	3.0	8.02												96 - 97
	6.8 x 6.8	CDR6D23MN	2.5	4.11												80 - 81
	6.8 x 6.8	CDR6D28MN	3.0	5.69												80 - 81
	6.8 x 7.5	CDEP63ME	3.0	5.38												98 - 99
	7.0 x 7.0	CDRH6D23/HP	2.5	8.06												64 - 65
	7.0 x 7.0	CDRH6D28	3.0	5.38												66 - 67
	7.0 x 7.0	CDRH6D38	4.0	6.32												66 - 67
7.0 x 7.0	CDRH6D38/T125	4.0	6.96												28 - 29	
7.2 x 7.3	CDH70D48	5.0	5.40												36 - 37	
7.2 x 7.2	CDRH7D58R/A	6.0	5.76												20 - 21	
7.3 x 7.3	CDRH70D43D	4.5	9.17												46 - 47	
7.6 x 7.6	CDR7D28MN	3.0	7.59												80 - 81	
7.6 x 7.6	CDR7D43MN	4.5	7.91												82 - 83	
7.7 x 8.0	CDRH7D16	1.8	5.38												66 - 67	
7.7 x 8.0	CDRH7D16/HP	1.8	5.38												66 - 67	
7.7 x 8.1	CDMPIH75D43/T125	4.5	9.80												26 - 27	
8 mm level	8.15 x 8.9	CDH80D48	5.0	10.20											36 - 37	
8.3 x 8.3	CDRH8D28	3.0	7.91												66 - 67	
8.3 x 8.3	CDRH8D28/HP	3.0	6.64												66 - 67	
8.3 x 8.3	CDRH80D38D	4.0	11.54												46 - 47	
8.3 x 8.3	CDRH80D38DWN	4.0	12.33												82 - 83	
8.3 x 8.3	CDRH8D43	4.5	10.12												68 - 69	
8.3 x 8.3	CDRH8D43/HP	4.7	7.91												68 - 69	
8.3 x 8.3	CDRH8D58/LD	6.0	8.22												68 - 69	
8.3 x 8.5	CDRH8D43R/T125	4.5	11.07												28 - 29	
8.4 x 8.4	CDEP85	5.5	10.13												84 - 85	
8.4 x 8.9	CDMC80D50/AA	5.4	19.16												16 - 17	
8.5 x 8.5	CDRH80D38/AA	4.0	5.38												18 - 19	

※ Standard Type / スタンダードタイプ

Installation space (Max.) 面積 (mm)	TYPE 形名	Height (Max.) 高さ	Rated Current Factor $I^* \sqrt{L}$ (L:定格電流)	INDUCTANCE インダクタンス						Rated D.C.CURRENT 定格直流電流					PAGE		
				0.1μH	1μH	10μH	100μH	1mH	10mH	10mA	100mA	1A	10A	100A			
9 mm level	8.5 x 8.5	CDRH8D38/A	4.0	5.44												22 - 23	
	8.5 x 8.5	CDRH8D48/A	5.0	7.15												22 - 23	
	8.7 x 9.5	CDMC8D28	3.0	13.44												96 - 97	
	8.8 x 9.5	CDBH8D38	4.0	12.72												102 - 103	
	9.0 x 9.0	CDH8D14	1.5	5.69												114 - 115	
	10 mm level	10.0 x 10.0	CDRH98D18R	2.0	7.27												68 - 69
		10.0 x 10.0	CDRH98D23R	2.5	9.80												68 - 69
		10.0 x 10.5	CDBH10D43	4.5	11.23												100 - 101
		10.2 x 11.5	CDMC104	4.0	15.71												96 - 97
		10.3 x 10.3	CDRH10D38D	4.0	11.23												46 - 47
10.3 x 10.3		CDRH10D38D/HP	4.0	16.44												46 - 47	
10.3 x 10.3		CDR10D48MN	5.0	13.60												82 - 84	
10.3 x 10.5		CDRH103R	3.1	8.85												68 - 69	
10.3 x 10.5		CDRH104R	4.0	12.02												70 - 71	
10.3 x 10.5		CDRH104R/T125	4.0	12.33												28 - 29	
11 mm level	10.3 x 10.5	CDRH105R	5.1	14.07												70 - 71	
	10.3 x 10.7	CDMPIH10D48/T125	5.0	15.59												26 - 27	
	10.4 x 10.4	CDEI10D38	4.0	8.35												84 - 85	
	10.4 x 10.4	CDEP104	4.5	7.91 *												86 - 87	
	10.4 x 10.4	CDRR105	4.8	7.84												30 - 31	
	10.4 x 10.4	CDEP105	5.6	10.96 *												86 - 87	
	10.4 x 10.4	CDRH10D68R/T125	7.0	15.81												30 - 31	
	10.4 x 11.5	CDEP105ME	5.5	11.81												98 - 99	
	10.5 x 10.5	CDRH10D48/A	5.0	8.22												22 - 23	
	10.5 x 10.5	CDRH10D48/AA	5.0	8.06												18 - 19	
12 mm level	10.5 x 10.5	CDRH10D58R/A	6.0	8.98												22 - 23	
	10.5 x 10.5	CDRH10D68/A	7.0	9.71												22 - 23	
	10.5 x 10.5	CDRH10D68	7.1	13.91												72 - 73	
	10.5 x 10.8	CDRH10D43R	4.5	12.97												72 - 73	
	11.0 x 11.0	CDRR107	10.0	12.30												72 - 73	
	11.0 x 11.2	CDH11D23/HP	2.5	11.54												114 - 115	
	11.1 x 11.1	CDEP115	5.6	13.85												88 - 89	
	12.3 x 12.3	CDRH124	4.5	14.23												74 - 75	
	12.3 x 12.3	CDRH125	6.0	12.65												74 - 75	
	12.3 x 12.3	CDRH125/L125	6.0	16.44												30 - 31	
13 mm level	12.3 x 12.3	CDRH125/LD	6.0	14.55												74 - 75	
	12.3 x 12.3	CDRH127/L125	8.0	26.56												30 - 31	
	12.3 x 12.3	CDRH127/LD	8.0	21.19												74 - 75	
	12.4 x 12.4	CDRH12D43R	4.5	15.37												76 - 77	
	12.4 x 12.4	CDRH12D58R	6.0	18.66												76 - 77	
	12.4 x 12.4	CDRH12D78R	8.0	18.66												76 - 77	
	12.4 x 12.4	CDRH129R	10.0	24.03												76 - 77	
	12.5 x 12.5	CDBH12D58	6.0	19.68												100-101	
	12.5 x 12.5	CDRH12D58/A	6.0	12.02												24 - 25	
	12.5 x 12.5	CDRCH12D78B	8.0	31.62 *												34 - 35	
14 mm level	12.5 x 12.5	CDRH12D78/A	8.0	13.28												24 - 25	
	12.5 x 12.5	CDRH129	10.0	18.38												76 - 77	
	12.7 x 13.0	CDBH128	8.0	13.42												100 - 101	
	12.8 x 12.8	CDRR126	6.8	13.60												30 - 31	
	12.9 x 12.9	CDEP12D38	4.0	13.02 **												88 - 89	
	12.9 x 12.9	CDEP125ME	5.5	19.58												98 - 99	
	12.9 x 12.9	CDEP125MEB	5.5	21.56												32 - 33	
	12.9 x 12.9	CEP125	5.6	15.81 **												88 - 89	
	12.9 x 12.9	CDRH127C/A	8.0	14.55												24 - 25	
	13.0 x 13.7	CDEIR12D45ME	5.0	27.16												98 - 99	
15 mm level	13.2 x 13.3	CDEP136ME	5.6	19.72												98 - 99	
	13.9 x 13.9	CDEP134C	4.9	18.38 **												90 - 91	
	14.9 x 14.9	CDEP145	6.0	23.46 **												90 - 91	
	14.9 x 14.9	CDEP147	8.0	26.20 **												92 - 93	
	14.9 x 14.9	CDEP147ME	8.0	40.09												32 - 33	
	14.9 x 14.9	CDEP1411	12.0	29.09 **												92 - 93	
	15.0 x 15.0	CDRH148R	8.5	22.45												78 - 79	
	15.2 x 15.2	CDEP149	10.0	21.48 **												94 - 95	
	16.5 x 16.5	CDRH169R	10.0	27.83												78 - 79	
	17.9 x 18.4	CDEP1711	12.0	41.74 **												94 - 95	
17 mm level	19.2 x 22.4	CDEP1810	11.0	31.18												94 - 95	

\*\* Standard Type / スタンダードタイプ    \* Single winding Type / 単一巻線タイプ